

## WARNING

Keep out of reach of children  
FOR ANIMAL TREATMENT ONLY

COOPERS

# BLAZE®

**Pour-on for the prevention of nuisance fly and control of biting lice, sucking lice and nuisance fly.**

Active ingredient: 15.0g/L Deltamethrin.

FLY & LICE POUR-ON FOR CATTLE

**2.5 & 5 Litres**



### Read entire label before use

**HANDLING PRECAUTIONS** Warning may cause eye or mild skin irritation, an allergic skin reaction and damage to nervous system from repeated exposure at high doses. Avoid skin contact, wear protective clothing and gloves. Wash hands after handling. Do not breathe vapours.

**FIRST AID** **If on skin** wash with plenty of soap and water. **If in eyes** rinse cautiously with water for several minutes. **If inhaled** remove to fresh air. If skin irritation/rash occurs, or eye irritation persists, get medical advice. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

**ENVIRONMENTAL PROTECTION** Warning very toxic to aquatic life with long-lasting effect. Very toxic to terrestrial invertebrates and toxic to terrestrial vertebrates. Avoid release to the environment and avoid contamination of any water supply with product or empty container. Collect spillage.

**DISPOSAL** Dispose of unused product through Agrecovery Chemicals. Triple rinse empty container, puncture and recycle through Agrecovery. Do NOT burn.

**EMERGENCY RESPONSE** For specialist advice in an emergency call 0800 CHEMCALL (0800 243 622)

See Safety Data Sheet for further information: [www.intervet.co.nz](http://www.intervet.co.nz)

**BLAZE** is a water-based synthetic pyrethroid insecticide for control of biting and sucking lice (*Bovicola bovis*, *Linognathus vituli*, *Haematopinus eurysternus* and *Solenopotes capillatus*) on cattle of any age. It also controls nuisance fly (*Stomoxys calcitrans*) for a period of up to four weeks\*.

**BLAZE is non-systemic. It controls lice by dispersing externally around the body of the animal; therefore accurate application is critical.**

### WITHHOLDING PERIODS

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits of Agricultural Compounds) Food Standards.**

**Milk: Nil.**

**Bobby Calves: Nil** – No withholding period is required prior to slaughter for calves born to cows treated in late pregnancy and then allowed to suckle those cows.

**Meat: 28 days** – Animals producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 28 days of the last treatment.

## DIRECTIONS FOR USE

**By law the user must take due care, obtaining expert advice if necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.**

SHAKE WELL. Apply using a COOPERs T-Bar gun. **Must** be applied in a **WIDE** (5 to 10cm) continuous strip from between the ears to the tail, down the **midline**, to ensure even dispersion of product down both sides of the animal. Dose according to the heaviest animal - see the dose rates below. Equipment should be cleaned thoroughly after use.

DOSE RATE			
Lice and Nuisance Fly - DOSE: 1mL PER 20kg			
LIVEWEIGHT	DOSE	DOSES/2.5L Pack	DOSES/5LPack
Up to 100kg	5mL	500	1000
101 - 200kg	10mL	250	500
201 - 300kg	15mL	166	333
301 - 400kg	20mL	125	250
401 - 500kg	25mL	100	200
501 - 600kg	30mL	83	166
Cattle over 600kg	5mL/100kg liveweight		

\*The period of protection BLAZE will achieve is influenced by a number of factors such as the level of fly challenge, environmental and management factors. Therefore it is imperative that BLAZE is considered part of an overall nuisance fly management plan.

Maximum lice kill is achieved up to six weeks after application, though relief of symptoms is rapid. DO NOT apply **BLAZE** to wet cattle. Do not use if rainfall is pending.

## Precautions

In rare cases some cows are irritated by synthetic pyrethroids for 48-72 hours after application. This tends to be on a herd basis and repeatable so do not use on cows previously known to be irritated by synthetic pyrethroids.

## STORAGE

Store at room temperature (i.e. 5°C to 25°C).

BLAZE is a registered trademark of Schering-Plough Animal Health Limited. © 2010.

ACVM Registration No: A8214. See [www.nzfsa.govt.nz/acvm/](http://www.nzfsa.govt.nz/acvm/) for registration conditions. Approved pursuant to the HSNO Act 1996, HSR002226. See [www.ermanz.govt.nz](http://www.ermanz.govt.nz) for controls.

Registered to:

**Schering-Plough Animal Health Limited**

33 Whakatiki Street, Upper Hutt

Phone: 0800 800 543

[www.intervet.co.nz](http://www.intervet.co.nz)