

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Section 1: Identification**

Product name : Levamisole / Oxfendazole Selenised Formulation

Other means of identification : Scanda Selenised (A007368)

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800  
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Acute toxicity (Oral) : Category 4

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Carcinogenicity : Category 2

Reproductive toxicity : Category 1

Specific target organ toxicity - : Category 2 (Liver, Testis)  
repeated exposure

Specific target organ toxicity - : Category 2 (Blood, Testis)  
repeated exposure (Oral)

Hazardous to the aquatic  
environment - acute hazard : Category 1

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Hazardous to the aquatic environment - chronic hazard : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H351 Suspected of causing cancer.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.  
H373 May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P391 Collect spillage.

**Storage:**

# Levamisole / Oxfendazole Selenised Formula- tion

Version 4.1      Revision Date: 13.12.2023      SDS Number: 10822932-00006      Date of last issue: 08.12.2023  
Date of first issue: 28.07.2022

P405 Store locked up.

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
levamisole hydrochloride	16595-80-5	$\geq 2.5$ -< 10
oxfendazole	53716-50-0	$\geq 2.5$ -< 10
Polyethylene glycol stearate	9004-99-3	$\geq 1$ -< 10
Citric acid	77-92-9	$\geq 1$ -< 10
Silicon, amorphous	112945-52-5	$\geq 1$ -< 10
Cobalt disodium ethylenediaminetetraacetate	15137-09-4	$\geq 0.25$ -< 1
Sodium selenate	13410-01-0	$\geq 0.1$ -< 0.25
Sodium metabisulphite	7681-57-4	$\geq 0.1$ -< 1

## Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

Suspected of causing cancer.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 3Z

## Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absor-

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Section 7: Handling and storage**

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.  |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe mist or vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.                                    |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |

**Section 8: Exposure controls/personal protection****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

# Levamisole / Oxfendazole Selenised Formula- tion

Version 4.1      Revision Date: 13.12.2023      SDS Number: 10822932-00006      Date of last issue: 08.12.2023  
Date of first issue: 28.07.2022

		exposure)	concentration	
levamisole hydrochloride	16595-80-5	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
oxfendazole	53716-50-0	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Polyethylene glycol stearate	9004-99-3	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Silicon, amorphous	112945-52-5	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
Sodium selenate	13410-01-0	WES-TWA	0.1 mg/m <sup>3</sup> (selenium)	NZ OEL
		TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m <sup>3</sup> (selenium)	ACGIH
Sodium metabisulphite	7681-57-4	WES-TWA	5 mg/m <sup>3</sup>	NZ OEL
	Further information: Skin sensitiser, Respiratory sensitiser			
		TWA	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version 4.1	Revision Date: 13.12.2023	SDS Number: 10822932-00006	Date of last issue: 08.12.2023 Date of first issue: 28.07.2022
----------------	------------------------------	-------------------------------	---

---

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**Section 9: Physical and chemical properties**

Appearance	: suspension
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 1,082 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method



**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version 4.1	Revision Date: 13.12.2023	SDS Number: 10822932-00006	Date of last issue: 08.12.2023 Date of first issue: 28.07.2022
----------------	------------------------------	-------------------------------	---

---

**Components:****levamisole hydrochloride:**

Acute oral toxicity : LD50 (Rat): 180 mg/kg  
LD50 (Mouse): 223 mg/kg  
LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**oxfendazole:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
LD50 (Dog): 1,600 mg/kg  
LD50 (sheep): 250 mg/kg

**Polyethylene glycol stearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Silicon, amorphous:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Sodium selenate:**

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Sodium metabisulphite:**

Acute oral toxicity : LD50 (Rat): 1,540 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks : No data available

**oxfendazole:**

Species : Rabbit  
Result : No skin irritation

**Polyethylene glycol stearate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

**Citric acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Silicon, amorphous:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Sodium selenate:**

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 431

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439

Result	:	Skin irritation
--------	---	-----------------

**Sodium metabisulphite:**

Result	:	Skin irritation
Remarks	:	Based on national or regional regulation.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Remarks	:	No data available
---------	---	-------------------

**oxfendazole:**

Species	:	Rabbit
Result	:	No eye irritation

**Polyethylene glycol stearate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

**Citric acid:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Silicon, amorphous:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

**Sodium selenate:**

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

**Sodium metabisulphite:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****levamisole hydrochloride:**

Remarks	:	No data available
---------	---	-------------------

**Polyethylene glycol stearate:**

Test Type	:	Open epicutaneous test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes	:	inhalation (dust/mist/fume)
Species	:	Humans

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory sensitisation rate in humans

**Sodium metabisulphite:**

Assessment : Probability or evidence of skin sensitisation in humans  
Remarks : Based on national or regional regulation.

Assessment : May cause sensitisation by inhalation.  
Remarks : Based on national or regional regulation.

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****levamisole hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**oxfendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Oral  
Result: positive

**Polyethylene glycol stearate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Citric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro micronucleus test  
Result: positive

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Silicon, amorphous:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive

# Levamisole / Oxfendazole Selenised Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Remarks: Based on data from similar materials

## **Sodium selenate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

## **Sodium metabisulphite:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Subcutaneous

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

## **Carcinogenicity**

Suspected of causing cancer.

## **Components:**

### **levamisole hydrochloride:**

Species : Mouse

Application Route : Oral

Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat

Application Route : Oral

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Remarks : No significant adverse effects were reported

**oxfendazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 1 Years  
Symptoms : No adverse effects  
Target Organs : Liver

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Symptoms : No adverse effects  
Target Organs : Liver

**Silicon, amorphous:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 105 weeks  
Result : positive  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies  
Remarks: Based on data from similar materials

**Sodium metabisulphite:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative  
Remarks : Based on data from similar materials



**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version 4.1	Revision Date: 13.12.2023	SDS Number: 10822932-00006	Date of last issue: 08.12.2023 Date of first issue: 28.07.2022
----------------	------------------------------	-------------------------------	---

---

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****levamisole hydrochloride:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Effects on foetal develop- : Test Type: Embryo-foetal development  
ment Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: Fetotoxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - As- : Some evidence of adverse effects on development, based on  
essment animal experiments.

**oxfendazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 17 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0.9 mg/kg body weight  
Target Organs: Liver  
Result: No effects on fertility

Test Type: Fertility  
Species: Mouse  
Application Route: Oral  
Duration of Single Treatment: 1 Months  
Fertility: NOAEL: 750 mg/kg body weight  
Target Organs: Testes  
Result: Effects on fertility

Effects on foetal develop- : Test Type: Embryo-foetal development

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

ment

Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Fetal effects

Test Type: Embryo-foetal development  
Species: Rat  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: positive, Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 108 mg/kg body weight  
Result: positive, Embryo-foetal toxicity, foetal abnormalities

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0.625 mg/kg body weight

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Citric acid:**

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Silicon, amorphous:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

# Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
 Species: Mouse  
 Application Route: inhalation (dust/mist/fume)  
 Result: positive  
 Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: inhalation (dust/mist/fume)  
 Result: positive  
 Remarks: Based on data from similar materials

Effects on foetal develop- : Test Type: Embryo-foetal development  
 ment : Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative  
 Remarks: Based on data from similar materials

Reproductive toxicity - As- : Some evidence of adverse effects on sexual function and  
 sessment : fertility, based on animal experiments.  
 Remarks: Based on data from similar materials

## **Sodium selenate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal develop- : Test Type: Embryo-foetal development  
 ment : Species: Mouse  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

## **Sodium metabisulphite:**

Effects on fertility : Test Type: Three-generation study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development  
 ment : Species: Rabbit  
 Application Route: Ingestion  
 Result: negative

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**STOT - single exposure**

Not classified based on available information.

**Components:****Citric acid:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure.  
May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

**Components:****levamisole hydrochloride:**

Target Organs : Blood, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**oxfendazole:**

Exposure routes : Oral  
Target Organs : Liver, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Cobalt disodium ethylenediaminetetraacetate:**

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.  
Remarks : Based on data from similar materials

Exposure routes : Ingestion  
Target Organs : Thyroid, Heart, Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
Remarks : Based on data from similar materials

**Sodium selenate:**

Exposure routes : Ingestion  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Repeated dose toxicity****Components:****levamisole hydrochloride:**

Species	:	Rat
NOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Testis

Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	18 Months
Target Organs	:	Blood

Species	:	Dog
LOAEL	:	40 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months

**oxfendazole:**

Species	:	Rat
NOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Blood, Liver, Testis

Species	:	Rat
NOAEL	:	3.8 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver, Testis

Species	:	Mouse
NOAEL	:	750 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Liver

Species	:	Mouse
NOAEL	:	37.5 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver

Species	:	Dog
NOAEL	:	6 mg/kg
Application Route	:	Oral

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Exposure time : 1 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Lymph nodes, thymus gland

Species : Dog  
NOAEL : 13.5 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Liver

**Citric acid:**

Species : Rat  
NOAEL : 4,000 mg/kg  
LOAEL : 8,000 mg/kg  
Application Route : Ingestion  
Exposure time : 10 Days

**Silicon, amorphous:**

Species : Rat  
NOAEL : 1.3 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Species : Rat  
LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

Species : Mouse  
LOAEL : < 0.01 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Sodium selenate:**

Species	: Rat
NOAEL	: 0.4 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

**Sodium metabisulphite:**

Species	: Rat
NOAEL	: 110 mg/kg
LOAEL	: 220 mg/kg
Application Route	: Ingestion
Exposure time	: 104 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****levamisole hydrochloride:**

Ingestion	: Symptoms: Nausea, Vomiting, Headache, Dizziness, hypotension
-----------	--

**Cobalt disodium ethylenediaminetetraacetate:**

Inhalation	: Target Organs: Respiratory system Remarks: Based on data from similar materials
Ingestion	: Target Organs: Blood Remarks: Based on data from similar materials Target Organs: Heart Target Organs: Thyroid

---

**Section 12: Ecological information****Ecotoxicity****Components:****levamisole hydrochloride:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 64 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	--

**oxfendazole:**

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 2.7 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 2.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.059 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

**Polyethylene glycol stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l  
Exposure time: 16 h

**Citric acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l  
Exposure time: 24 h

**Silicon, amorphous:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials



**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**Cobalt disodium ethylenediaminetetraacetate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10 (Danio rerio (zebra fish)): > 1 mg/l  
Exposure time: 34 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

**Sodium selenate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

# Levamisole / Oxfendazole Selenised Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l  
Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1 mg/l  
Exposure time: 258 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

## Sodium metabisulphite:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 178 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 89 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 43.8 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 33.3 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 316 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 10 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10 (Pseudomonas putida): 30.8 mg/l  
Exposure time: 17 h

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Persistence and degradability****Components:****oxfendazole:**

Stability in water : Hydrolysis: &lt; 5 %(4 d)

**Polyethylene glycol stearate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 10 d  
Method: OECD Test Guideline 302B

**Citric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Bioaccumulative potential****Components:****oxfendazole:**Partition coefficient: n- : log Pow: 1.95  
octanol/water**Citric acid:**Partition coefficient: n- : log Pow: -1.72  
octanol/water**Cobalt disodium ethylenediaminetetraacetate:**Partition coefficient: n- : log Pow: -3.86  
octanol/water Remarks: Calculation**Mobility in soil****Components:****oxfendazole:**Distribution among environ- : log Koc: 3.2  
mental compartments**Other adverse effects**

No data available

**Levamisole / Oxfendazole Selenised Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

**IMDG-Code**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

**NZS 5433**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxfendazole, Cobalt disodium ethylenediaminetetraacetate)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	3Z
Marine pollutant	:	no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100758 Veterinary Medicines Non dispersive Closed System Application Group Standard

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**Section 16: Other information**

Revision Date	:	13.12.2023
---------------	---	------------

**Further information**

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
---	---	---

Date format	:	dd.mm.yyyy
-------------	---	------------

**Full text of other abbreviations**

**Levamisole / Oxfendazole Selenised Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
4.1	13.12.2023	10822932-00006	Date of first issue: 28.07.2022

---

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average  
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIRC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN